

Hand Tools



A910 Mini Tie-Lok II Tool

For applying 4.5mm wide smooth ID Mini Tie-Lok® ties for cable bundling and identification tagging. Forms unique dimple lock with a strong locking force and cuts off the excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a loop tensile strength in excess of 100 pounds (445N)
- Adjustable controlled tension with repeatable results
- Easy to use, lightweight, compact design



A920 Tie-Lok® II Tool

Applies 6.35mm wide smooth ID Tie-Lok® ties used in cable bundling and identification tagging. Locks tie with the patented Tie-Lok® and cuts off excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a loop tensile strength in excess of 250 pounds (890N)
- Adjustable controlled tension with repeatable results
- Easy to use, lightweight, compact design



A940 ULTRA-LOK® Tool

Applies 6.35mm wide Smooth ID Tie-Lok® ties. Locks tie with patented Ultra-Lok® cut-off for increased loop tensile strength in excess of 400Lbs (1776N).

C001 Standard Banding Tool

BAND-IT's standard tool for Junior® Smooth ID clamps. For use on band widths of 3/16" to 3/4". Comes with a spin handle retaining ring to keep parts intact.

- Used to apply BAND-IT® Stainless Steel Band, Galvanized Carbon Steel Band, BAND-FAST®, general use band and miscellaneous strapping
- Drop forged tool with built in cutter
- Spring loaded gripper lever improves ease of use
- Blue powder coated finish resists corrosive elements
- Can also apply Junior® and Junior® Smooth ID Clamps when used with Junior® Adaptors

Use with
Junior Adaptors



C002 Junior® Preformed Clamp Tool

BAND-IT® Tool with built-in Junior adaptor for use with Junior® and Junior® Smooth ID Clamps only. Tool performs best when used in a vice. Not for use with Band & Buckle.





C003 BAND-IT® Heavy Duty Tool

BAND-IT Tool with heavy duty thread. Recommended tool if using regularly for high tension applications. Can be used with J050 Heavy Duty Junior® Adaptor to apply Junior® and Junior® Smooth ID Clamps.



J050 Junior® Heavy Duty Adapter

Use with C001 or C003 BAND-IT® Tools to apply Junior® / Junior® Smooth ID Clamps. Ideal for larger clamp sizes or where a vice is not available.



J001 Junior® Clamp Adapter

Use with BAND-IT® C001 Tool to apply Junior® or Junior® Smooth ID Clamps.



G402 Giant Tool

Use with BAND-IT® Giant Ear-Lokt buckles only.




J020 Pok-It II Tool

Lightweight pocket sized ratchet tool. Use to tension uncoated band up to 3/8" wide. Incorporates cutter lever.



S038 Center Punch Tool

Easy to use ratchet drive can be switched to use either the 3/8" wide or 5/8" wide slots of this pocket style tool. Installs 3/8" wide Center Punch Clamps in both 13/16" diameter and 1 3/8" diameter. Installs 5/8" wide Center Punch Clamps ranging from 1" diameter to 8" diameter.



T300 Center Punch Tool

Ratchet action tensioning tool used to apply BAND-IT® 3/8" and 5/8" centre punch and centre punch open-end clamps with a centre punch lock. 3/8" and 5/8" adapter (SO3289) included.

Power Tools



UL9010 ULTRA-LOK® Corded Tool

Ideal for hose clamping, the electric ULTRA-LOK® Tool applies 3/4" or 1/2" (19mm or 12.7mm) wide ULTRA-LOK® band and ULTRA-LOK® preformed clamps. Designed for consistent repeatable tensioning. Adjustable speed and torque. Clamps can be applied much faster than with conventional hand tools. Forms lock under full tension. Shear plate available to convert tool from 3/4" to 1/2" ULTRA-LOK® clamps.



UL4000 ULTRA-LOK® Cordless Tool

Now powered with a Lithium-ion battery, with longer charge and battery life, the UL4000 battery charge lasts longer with consistent peak performance through the life of the battery. Shear plate available to convert tool from 3/4" to 1/2" ULTRA-LOK® clamps.



X69001 ULTRA-LOK® Pneumatic Tool

Use in areas where electrical power is not permitted or available. Shear plate available to convert tool from 3/4" to 1/2" ULTRA-LOK® clamps.

All ULTRA-LOK® tools to be used with ULTRA-LOK® clamping systems only.





Pneumatic Tools



S750 Pneumatic Junior® Clamp Application Tool

The 'Standard Air Tool'. The foot controlled standard air tool applies the complete range of BAND-IT Junior® Smooth ID preformed clamps.

Use with

BAND-IT® Junior® Clamps
Preformed Clamps



S350 Pneumatic Junior® Clamp Automatic Air Tool

For high volume production clamping of all widths and diameter sizes of BAND-IT Junior® Smooth ID and Junior® preformed clamps. Automatically tensions and cuts off clamp tail after roll-up and lock. Cycle time is approximately 8 seconds.

Use with

BAND-IT® Junior®
Smooth ID Preformed
Clamps



SM1700 Pneumatic Automatic Center Punch Clamp Air Tool

Designed to install BAND-IT® Center Punch 5/8" wide preformed clamps, made from 201 Stainless Steel and Galvanized Carbon Steel. Automatically tensions and cuts off clamp tail.

Use with

BAND-IT® Center Punch
Preformed Clamps



Use with

Tie-Lok® Stainless Steel Ties in 0.250" (6.35mm)
and 0.375" (9.53) widths

IT Series Tool

The IT Series Tool (with air hose and regulator) is a hand held tool used for repeatable high production environments. Available Versions:

- Can be fixtured into production system
- Variety of head configurations that allow installation of:
 - 1/4" and 3/8" Tie-Lok® / 1/4" Universal Clamps / 1/4" & 3/8" Jr.® Smooth ID Clamps / 1/4" Ultra-Lok® ties
- Ergonomic design for ease of use by hand
- Heavy-duty cut-off and tensioning components
- Durable pneumatic system
- Easy to maintain



PART No.	DESCRIPTION
IT1000	For all 1/4" Tie-Lok® Ties
IT2000	For all 1/4" BAND-IT Junior® Clamps
IT5000	For all 3/8" BAND-IT Junior® Clamps
IT6000	For all 3/8" Tie-Lok® Ties